

This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

Endereço	<b>Pneumofore S.p.A.</b> Vacuum Pumps and Air Compressors Via Natale Bruno 34 10098 Rivoli
Telefone	0039 011 950 40 30
Fax	0039 011 950 40 40
INTERNET	<a href="http://www.pneumofore.com">www.pneumofore.com</a>
Empregados	50 - 60
Volume de negócios	10 mio EURO
Certificados	UNI EN ISO 9001 and ISO 14001
Ano de fundação	1923
Taxa de exportação	85 %
Associações	GIMAV

## PESSOAS PARA CONTACTAR

Contact 1.	Sr. Dipl.-Eng. Daniel Hilfiker President Phone: 0039 011 950 40 30 Fax: 0039 011 950 40 40
Contact 2.	Sr. Rolf Hilfiker CEO Phone: +39 011 950 40 30 Fax: +39 011 950 40 40
Contact 3.	Sr. Gary Wilkinson Area Sales Manager
Contact 4.	Sr. Igor Smirnov Sales

## PRODUTOS / MÁQUINAS

Leader in vacuum systems for IS machines, Pneumofore developed the largest air-cooled single stage rotary vane vacuum pump worldwide, the UV100.

### FULL PRODUCT RANGE

To accommodate any customer need or application requirement, we offer different technologies in a wide capacity range.

Pneumofore Rotary Vane Pumps and Compressors lead the market in energy savings: their design ensure long-term efficiency and the cost reduction of maintenance.

Specific solutions can be delivered for most demanding projects to ensure faster ROI or short-term installations. All products are in compliance with CE norms (European Community) and are available for any combination of voltage and frequency.

### Vacuum Pumps

Sliding vane, single-stage, lubricated, up to 6.610 m<sup>3</sup>/h at 50 Hz and 0,5 mbar(a) residual pressure; up to 6.480 m<sup>3</sup>/h at 60 Hz and 0,5 mbar(a) residual pressure;

### Air Compressors

Sliding vane, single-stage, lubricated: at 50 Hz, from 5,5 to 400 kW, from 70 to 4.930 m<sup>3</sup>/h, operative pressure from 2,5 to 10 bar(g); at 60 Hz, from 7,5 to 540 kW, from 83 to 5.360 m<sup>3</sup>/h, operative pressure from 2,5 to 10 bar(g).

### Accessories for Vacuum

Demister Filters for separation of oil mist / graphite lubricant coming from the moulds on the IS machines, capacity up to 5100 m<sup>3</sup>/h;  
Vacuum Receivers, volume up to 10 m<sup>3</sup>.

### Accessories for Compressed Air

Fridge Dryers, capacity from 12 to 10.800 m<sup>3</sup>/h;  
Adsorption and high pressure Dryers, on request;  
Filters, capacity from 31,8 to 27.000 m<sup>3</sup>/h with residual coolant content down to 0,003 mg/m<sup>3</sup>;  
Air Receivers, tested according to CE regulation, volume up to 10 m<sup>3</sup>.

### SERVICE

Complete customer satisfaction regarding Spare Parts and Maintenance.

Assistance and troubleshooting is guaranteed through a dedicated division of Pneumofore with trained and experienced professionals.

Service Centers available on 5 continents.

### PLANT ENGINEERING

The Pneumofore Engineering Team calculates the pneumatic system layout with all devices from the pump / compressor room to the spot of application. Available for consulting and customer support to respond to case-specific requirements. For new systems, please refer to the "Preliminary Specifications" in the download section.

## HISTÓRIA DE EMPRESA

Pneumofore manufactures and provides full solutions for the supply of **compressed air and vacuum** in industrial plants worldwide. Specialized in **rotary vane technology** since 1923, Pneumofore offers professional expertise and international service over a wide range of integrated products for each customer's needs. Constantly focused on **minimal life cycle costs**, Pneumofore has become the leader in **centralized vacuum systems** specially designed **for the glass industry and IS machines**.

Pneumofore creates, develops, manufactures, installs and services its own innovative products while setting the standard for high efficiency, high air purity, reliability and longevity.

### Main Features of Pneumofore Products

Pneumofore engineers creates original solutions, providing the market standards of tomorrow from extreme climates designed compressors to the largest air-cooled rotary vane pump in the world.

**Durability:** rotary vane vacuum pumps and compressors sturdy constructed for 24 h operation and equipped with aluminum vanes

**Energy and Cost Saving:** a full range of air-cooled machines with the variable speed option, for the lowest Life Cycle Cost and the best return of investment

**Easy to install:** "Plug and Play" units with no need of foundation or water connection

**Environment friendly:** solutions that guarantee the lowest power consumption, no coolant vapor, reduced noise and no water waste, without compromise on efficiency.

**Customer Satisfaction**

Pneumofore customers range from small manufacturing plants to large multinational enterprises. From process specifications throughout layout and definition, installation, commissioning, operation and long-term maintenance needs, Pneumofore assists customers at every step.

As solution provider, Pneumofore provides engineering support to all clients for each application. Individual analysis and system design ensure the choice of the right products and the best technical result. Pneumofore also offers a complete after-market support for evaluation, maintenance, spare parts delivery and on- or offsite repair and overhaul.

**Worldwide Distribution and Presence**

With more than 45.000 units worldwide, Pneumofore machines and service can reach any country, thanks to an extensive distributor and after-sales network covering the entire international market. Our references in the glass industry include: O-I, Verallia, Ardagh, Gallo Glass, Envases Universales, Altajir, HNGI, Siseecam and many more.

Company Profile of **Pneumofore S.p.A.**

A service of glassglobal.com, an affiliate of glassglobal group.

O material impresso endereço que você é autor e pertence à empresa ou ao seu terceiro Marketing Agency, e todos os direitos reservados. Qualquer usuário que acessa esse material poderá fazê-lo apenas para seu próprio uso pessoal, bem como a utilização desse material é de risco exclusivo do Utilizador. A redistribuição ou exploração comercial de material, tais endereço é expressamente proibida. Sempre que tal material endereço é fornecido por um terceiro, cada utilizador concorda em observar e estar vinculado aos termos específicos de utilização aplicáveis a material notícia. Glass Global não representa nem endossa a precisão ou confiabilidade de qualquer informação contida em qualquer endereço ou sites externos referidos no presente impresso. [www.glassglobal.com](http://www.glassglobal.com) - O Portal Internacional para a Indústria do Vidro - Ogis GmbH